

## Research Article

# Preliminary screening of osteoporosis and osteopenia in middle aged urban women from Hyderabad (INDIA) using calcaneal QUS

Ashwin Kasturi<sup>1\*</sup>, Srinivas Radhe Shyam<sup>2</sup>, Natesh Kolu<sup>1</sup>, Srinivasan Nadadur<sup>1</sup>

<sup>1</sup>Department of Orthopaedics, Malla Reddy Institute of Medical Sciences (MRIMS), Hyderabad, India

<sup>2</sup>Department of Orthopaedics, Shadhan Institute of Medical Sciences, Hyderabad, India

Received: 10 June 2015

Accepted: 09 July 2015

\*Correspondence:

Dr. Ashwin Kasturi,

E-mail: ashwinkasturi@gmail.com

**Copyright:** © the author(s), publisher and licensee Medip Academy. This is an open-access article distributed under the terms of the Creative Commons Attribution Non-Commercial License, which permits unrestricted non-commercial use, distribution, and reproduction in any medium, provided the original work is properly cited.

## ABSTRACT

**Background:** Osteoporosis is a major public health problem, associated with substantial morbidity and socio-economic burden. An early detection can help in reducing the fracture rates and overall socio-economic burden in such patients. The present study was carried out to screen the bone status (osteopenia and osteoporosis) above the age of 25 years in urban women population in this region.

**Methods:** A hospital based study was carried out in 316 women by calculating T-scores utilizing calcaneal QUS as diagnostic tool.

**Results:** The result suggested that a substantial female population had osteopenia and osteoporosis after the age of 45 years. The incidence of osteoporosis was (20.25%) and osteopenia (36.79%) with maximum number of both osteoporosis and osteopenic women recorded in the age group of (55-64 years). After the age of 65 years, there was an almost 100% incidence of either osteopenia or osteoporosis, indicating that it increases with age and in postmenopausal period, thereby suggesting lack of estrogenic activity might be responsible for this increasing trend. Religion, caste and diet had an influence on the outcome of osteopenic and osteoporosis score in present study, but still it has to be substantiated by conducting larger randomized clinical trials in future.

**Conclusions:** A substantial female population was screened for osteoporosis and osteopenia using calcaneal QUS method utilizing same WHO T score criteria that otherwise shall remain undiagnosed and face the complications and menace of osteoporosis.

**Keywords:** Osteopenia, Osteoporosis, Calcaneal QUS (quantitative ultrasound), BMD (bone mineral density)

## INTRODUCTION

Osteoporosis is a disease characterized by reduction in the bone mass and disruption of bone architecture leading to impaired skeletal strength and an increased susceptibility of fractures.<sup>1</sup> It is a major public health problem associated with substantial morbidity and socio-economic burden world wide.<sup>2</sup> Moreover, the proportion of elderly population is rapidly increasing in the developed as well as the developing world, which increases concern among aging population and public

health workers regarding disability, dependence, associated economic and social problems that are caused by osteoporosis. Osteoporosis does not have a dramatic clinical presentation except when fractures result. As age advances, the incidence of osteopenia and osteoporosis, the silent disease increases.<sup>3</sup>

Measuring the bone density remains the only important tool in the early diagnosis of osteoporosis, so that effective preventive and therapeutic measures can be initiated at the earliest. The gold standard for measuring

bone density however is the Dual energy X-ray absorptiometry (DEXA), useful tool for both the axial and appendicular skeleton as the detection rate of osteopenia and osteoporosis is higher with it in comparison to calcaneal quantitative ultrasound (QUS) method.<sup>4</sup> But the commonest used modality of measuring bone density still remains to be calcaneal QUS.<sup>5</sup> It has gained the importance in the situation where tool like DEXA are not available. Since, calcaneal QUS is cost effective,<sup>6</sup> lacks deleterious effect of radiation and is portable.<sup>7</sup> Thus, it can be useful for an early diagnosis of osteoporosis so that intervention can be done at the earliest to such patients.

Although, similar studies evaluating bone status in women from outside India and within India are present in the literature<sup>8-13</sup> but still the data is scanty, particularly from this region. Hence, the present pilot study was planned to screen bone status of healthy urban women above age of 25 years (when peak bone mass is formed) from this region utilizing calcaneal QUS (Hologic Sahara 0058 USG) as a diagnostic tool.

## METHODS

The present prospective, cross sectional hospital based study included healthy women attending Malla Reddy Hospital (MRH)/Malla Reddy Institute of Medical Sciences (MRIMS) and Shadan institute of medical Sciences coming from different parts of Hyderabad city over a period of 6 months from 01-10-2014 to 31-03-2015. Total 316 women were enrolled and were distributed in the following age groups, 25-34 years (n=36), 35-44 years (n=76), 45-54 years (n=88), 55-64 years (n=84) and above 65 years (n=32). Informed consent was taken from all the subjects who participated in the present study.

Systemic diseases like renal and hepatic disorders, rheumatoid arthritis, endocrine disorders like thyrotoxicosis, hyperparathyroidism, Addison's disease, Cushing syndrome and prolonged immobilization and women with oophorectomy were excluded from the study. Women on long term medication affecting the bone turnover (steroids, heparin, warfarin, thyroxine, hydrocortisone, phenytoin sodium, hormone replacement) were also strictly excluded. The exclusion was based on the clinical examination and if required specific investigations were carried. The questionnaire included information on socio demographic, obstetrics, menstrual and medical history. The bone mineral density was measured at the calcaneus by QUS and T-scores were calculated based on WHO criteria<sup>14</sup>.

Although, the use of the WHO T-score thresholds of -2.5 for osteoporosis and -1.0 for osteopenia may be inappropriate at skeletal sites other than the spine, hip and forearm or when other modalities, such as quantitative ultrasound (QUS) are used.<sup>15,16</sup> QUS yields a lower

incidence or prevalence of osteoporosis if this WHO T score is applied. Although studies are present,<sup>16</sup> suggesting alternate equivalent T score with calcaneal QUS method, but there is lack of any clear strategies or appropriate equivalent T score thresholds, hence QUS screening using same diagnostic criteria can at least confirm or rule out osteoporosis<sup>15</sup>. Moreover few studies have used same T score method for diagnosis of osteoporosis in past.<sup>15</sup>

T-score (Ratio between patients BMD and that of young adult population of same sex and ethnicity). T-score of >-1 was taken as normal, between -1 to -2.5 osteopenic and <-2.5 as osteoporotic. T-score was also utilized to find out the incidence and age wise trend of osteopenia and osteoporosis in present study. Z-score is the number of standard deviations the measurement is above or below the age matched mean bone mineral density. Z-score is less commonly used but may be helpful in identifying persons who should undergo a work-up for secondary causes of osteoporosis. The present study was planned to evaluate bone status of urban women above age of 25 years excluding secondary osteoporosis. Hence, Z score was not evaluated

Statistical analysis was performed with the help of computer software Epi-Info 6.2. The statistical significance among categories variables was assessed by the use of chi-square test for trend. P value of < 0.05 was considered statistically significant.

## RESULTS

In the present study, 316 women in between the age group of 25 to above 65 years were enrolled. The women included in the study belonged to middle income group strata with both housewives and working class. Among 316 total women maximum number were enrolled in the age group of (45-54) followed by (55-64) and (35-44) age group.

136 (43.03%) of women were normal as per WHO criteria T score, whereas 116 (36.79%) had osteopenia and 64 (20.25%) had osteoporosis. The mean  $\pm$  SEM, T-score at the calcaneum by QUS in the present study was  $-1.43 \pm 0.56$ . Among total osteopenic woman, maximum number of osteopenics were recorded in the age group of (55-64 years) followed by 45-54 years and 35-44 years as 39.65%, 24.13%, 15.51% respectively. Whereas, among total (64) osteoporotic women, maximum were recorded in the age group at 55-64 year followed by above 65 year and then of 35-44 age group as 25% each. No women was found osteoporotic in the age group of (25-34) (Table 1). While studying the age wise trend, it followed age wise increasing trend uniformly. After the age of 65 years, there was an almost 100% incidence of either osteopenia or osteoporosis with 50% being osteopenic and 50%, osteoporotic (Table 2). Total incidence of osteopenia and osteoporosis increased significantly after age group of 55-64 years.

**Table 1: Age wise distribution of osteopenic and osteoporotic women.**


Age (years)	Number n (%)	Normal n (%)	Osteopenic n (%)	Osteoporotic n (%)
25-34	36 (11.39)	28 (20.58)	8 (6.8)	0(0)
35-44	76 (24.05)	44 (32.35)	18 (15.51)	14 (21.87)
45-54	88 (27.84)	44 (32.35)	28 (24.13)	16 (25)
55-64	84 (26.58)	20 (14.70)	46 (39.65)	18 (28.12)
>65	32 (10.12)	0 (0)	16 (13.94)	16 (25)
Total	316	136 (43.03)	116 (36.79)	64 (20.35)

Chi-square for trend 16.889,  $p = 0.00004$  (Highly significant)

**Table 2: Age wise trend.**

Age	Number n (%)	Normal n (%)	Osteopenia n (%)	Osteoporosis n (%)	Total Osteopenia+Osteoporosis n (%)
25-34	36	28(77.77)	8(22.22)	0 (0)	8(22.22)
35-44	76	44(57.89)	18(23.68)	14(18.42)	32(42.99)
45-54	88	44(50)	28(31.81)	16(18.18)	44(49.99)
55-64	84	20(23.80)	46(54.76)	18(21.42)	64(76.18)
>65	32	0 (0)	16(50)	16(50)	32(100)

Chi-square for trend 25.93,  $p = 0.0000$  (Highly significant). For the purpose of analysis >65 age category was clubbed with 55-64 age group



**Figure 1: Age wise trend.**

While studying the correlation between osteopenia/osteoporosis and other variables, it was revealed that among total 116 osteopenics and 64 osteoporotic, 68.96% and 87.50% were Hindus respectively and among hindus 90% and 92.4% osteopenic and osteoporotic were from upper caste. Of 116 total osteopenic women 8 (6.89%) were still menstruating, 12(10.34%) just achieved menopause and 76 (65.5%) were in post-menopausal period. Whereas, of 64 osteoporotic 4 (6.25%) were still

menstruating, 16 (25%) achieved menopause and 44 (68.75) were in post menopausal period. 38 (65.2%) of the osteopenic women and 40 (62.5%) of the osteoporotic women were vegetarian. Where as 20 (17.24%) and 12 (18.76%) of the osteopenic and osteoporotic women were non-vegetarian and rest were on mixed diet. Among the recorded osteopenic and osteoporotic women in the present study 65.2% and 62.5% were living active life respectively and two percent of these women gave history of tobacco/smoking and 90% of such women gave history of consuming tea and coffee regularly Table 3.

**Table 3: Demographic variables.**

Total	Osteopenic (n=116)	Osteoporotic (n=64)
Religion	n (%)	N (%)
Hindu	80(68.96)	56(87.50)
Muslim	22(18.96)	4(6.25)
Christian	12(10.34)	2(3.12)
Sikh	2(1.72)	2(3.12)
Chi-square (1) for trend 3.84, P=0.05(significant). For the purpose of analysis only two categories (Hindu's & Non-Hindu's) were analysed		
Caste among Hindu's		
Backward	56(70)	40(71.42)
Forward	20(25)	12(21.42)
SC/ST	4(5)	4(7.14)
Chi-square for trend 7.77, P=0.05(significant). For the purpose of analysis only two categories were analysed. i.e; upper caste = forward, lower caste = backward+SC/ST		
Menopausal status		
Still menstruating	8(6.89)	4(6.25)
Menopause	12(10.34)	16(25)
Post menopause	76(65.5)	44(68.75)
Chi-square(2) for trend 6.24, p=0.04 (significant)		
Diet		
Veg	76(65.5)	40(62.5)
Non-veg	20(17.24)	12(18.76)
Mix	20(17.24)	12(18.76)
Chi-square non significant		
Life style		
Active	76(65.5)	40(62.5)
Sedentary	40(34.48)	24(37.5)
Chi-square non significant		

## DISCUSSION

The incidence of osteoporosis in the present study was (20.25%) and osteopenia (36.79%) with maximum number of both osteoporotics and osteopenic recorded in age group of (55-64 years). Hundred percent of population above 65 was either osteopenic or osteoporotic. The variations from

the present study in incidence of osteoporosis and osteopenia by both calcaneal QUS and DEXA methods have been shown in Table 4.

**Table 4: Incidence of osteoporosis & osteopenia study.**

Study	Osteoporosis	Osteopenia	Age
Present study	QUS 20.25%	36.79%	25 to >65 years
Outside India			
Sallin et al <sup>(8)</sup>	DEXA 92%	8%	58-95 years
Sadat-Ali et al <sup>(9)</sup>	DEXA 46.7%	30.5%	Average age 57.62 years
Deplas et al <sup>(10)</sup>	DEXA 86%	-	Mean age 80.6+-7.1 years
Indian study			
Pande, 2002 <sup>(11)</sup>	Digital X-ray radiogrammetry 50%	-	Above age 50 years
Shatrugna et al <sup>(12)</sup>	DEXA Prevalence 29%	-	30-60 years

Identifying women with osteoporosis remains a clinical challenge. Although the results of present study in comparison to the various studies.<sup>8,9,10,11,12</sup> clearly reflect the under diagnosis of osteoporosis by QUS in comparison to DEXA, but QUS still remain the commonest modality of measuring bone density of cancellous bone (peripheral bone measurement) in the heel, with advantage of low cost, lack of radiation and portability. Hence, DEXA, remains the gold standard for measuring bone density but underscoring fairly good number of women to be osteopenic and osteoporotic in present study suggest that USG method can be use full particularly in situation where DEXA is not available, who other wise will remain totally undiagnosed. The incidence indicated in the present study may not be the true incidence of the population as QUS yield a lower incidence or prevalence of osteoporosis if the same WHO T score is applied.<sup>15,16</sup> However, QUS screening conclusively confirms or rules out osteoporosis or osteopenia in any population.

Maximum number of osteopenic and osteoporotic were in post-menopausal period followed by who just achieved menopause. Hence, the current study suggests that age and duration of menopause have negative correlation with the bone mineral density, as incidence of osteopenic and osteoporotic women increases with age and in post-menopausal period. As age advances, the incidence of osteopenia and osteoporosis (the silent disease) increases with a resultant increase in the osteoporotic fractures.<sup>3</sup> This might be because there is an increased imbalance between bone resorption and formation with aging, which is an important cause of osteoporosis in elderly.<sup>1</sup>

Hindus upper cast were most affected population in our study but this aspect still has to be substantiated, as the

present study was not randomized. Vegetarian were more affected population although they varied non-significantly from other dietary patterns. This may be due to deficient diet in calcium or low nutrients status.<sup>12,18</sup>

The present study has some limitations less number of patients were screened over a period of six months only. QUS method may be used for osteoporosis screening but confirmation of osteoporosis may be done on the basis of DEXA or bone resorption markers, which were not carried out in the present study due to non-availability of the facilities. Moreover Study has not considered stiffness index.

## CONCLUSION

The present study suggests that calcaneal QUS method utilizing same WHO T score criteria is an attractive screening tool because of the low cost, feasibility and help in identifying osteopenia and osteoporosis in a substantial female population who otherwise shall remain undiagnosed and face the complications and menace of osteoporosis.

*Funding: No funding sources*

*Conflict of interest: None declared*

*Ethical approval: The study was approved by the Institutional Ethics Committee*

## REFERENCES

1. Lane NE. Epidemiology, etiology & diagnosis of osteoporosis. Am J Obstet Gynecol. 2006;194:S3-11.
2. Johnell O, Kanis JA. An estimate of the worldwide prevalence, mortality and disability associated with hip fracture. Osteoporos Int. 2004;15:897-902.
3. Atik OS, Gunal I, Korkusuz F. Burden of osteoporosis. Clin Orthop Relat Res. 2006;443:19-24.
4. Syed Z, Khan A. Bone densitometry: applications and limitations. J Obstet Gynaecol Can. 2002;24: 476-84.
5. Kraemer DF, Nelson HD, Bauer DC, Helfand M. Economic comparison of diagnostic approaches for evaluating osteoporosis in older women. Osteoporos Int. 2006;17:68-76.
6. Kung AW, Ho AY, Ross PD, Reginster JY. Development of a clinical assessment tool in identifying Asian men with low bone mineral density and comparison of its usefulness to quantitative bone ultrasound. Osteoporos Int. 2005;16:849-55.
7. Mohr A, Barkmann R, Mohr C, Romer FW, Schmidt C, Heller M, et al. Quantitative ultrasound for the diagnosis of osteoporosis. Rofo. 2004;176:610-7.
8. Sallin U, Mellstrom D, Eggertsen R. Osteoporosis in a nursing home, determined by the DEXA technique. Med Sci Monit. 2005;11:CR67-70.

9. Sadat-Ali M, Al-Habdan IM, Al-Mulhim FA, El-Hassan AY. Bone mineral density among postmenopausal Saudi women. *Saudi Med J.* 2004;25:1623-5.
10. Deplas A, Debiais F, Alcalay M, Bontoux D, Thomas P. Bone density, parathyroid hormone, calcium and vitamin D nutritional status of institutionalized elderly subjects *J Nutr Health Agin.* 2004;8:400-4.
11. Pande KC. Prevalence of low bone mass in healthy Indian population. *J Indian Med Assoc.* 2002;100:598-602.
12. Shatrugna V, Kulkarni B, Kumar PA, Rani KU, Balakrishna N. Bone status of Indian women from a low-income group and its relationship to the nutritional status. *Osteoporos Int.* 2005;16:1827-35.
13. Anburajan M, Rethinasabapathi C, Korath MP, Ponnappa BG, Kumar KS, Panicker TM, et al. Age-related proximal femur bone mineral loss in South Indian women: a dual energy X-ray absorptiometry study. *J Assoc Physics India.* 2001;49:442-5.
14. Kanis JA. Assessment of fracture risk and its application to screening for postmenopausal osteoporosis: synopsis of a WHO report. WHO Study Group. *Osteoporos Int.* 1994;4:368-81.
15. Diez-Perez A, Marin F, Vila J, Abizanda M, Cervera A, Carbonell C, et al. Evaluation of calcaneal quantitative ultrasound in a primary care setting as a screening tool for osteoporosis in postmenopausal women. *J Clin Densitom.* 2003;6:237-45.
16. Knapp KM, Blake GM, Spector TD, Fogelman I. Can the WHO definition of osteoporosis be applied to multi-site axial transmission quantitative ultrasound? *Osteoporos Int.* 2004;15:367-74.
17. Iki M, Kajita E, Mitamura S, Nishino H, Yamagami T, Nagahama N. Precision of quantitative ultrasound measurement of the heel bone and effects of ambient temperature on the parameters. *Osteoporos Int.* 1999;10:462-7.
18. Barr SI, Prior JC, Janelle KC, Lentle BC. Spinal bone mineral density in premenopausal vegetarian and non-vegetarian women: Cross-sectional and prospective comparisons. *J Am Diet Assoc.* 1998;98:760-5.

**Cite this article as:** Kasturi A, Shyam S, Kolusu N, Nadadur S. Preliminary screening of osteoporosis and osteopenia in middle aged urban women from Hyderabad (INDIA) using calcaneal QUS. *Int J Res Med Sci* 2015;3(8):2029-33.

## JOURNAL

Online First

Current Issue

Archive

Most Downloaded

Most Accessed

## ONLINE TOOLS

- Submit Article
- Author Login
- Register
- Reviewer Login


## IMPACT FACTOR

Index Copernicus Value ICV 2013: 7.38

## INDEXED IN

- Directory of Open Access Journals (DOAJ)
- Index Medicus for South-East Asia Region (WHO)
- **Index Copernicus**
- ScopeMed
- CrossRef
- Index Scholar
- Google Scholar
- Ulrichsweb
- Journal Index
- J-Gate
- Directory of Science
- eJManager
- JournalTOCs
- ResearchBib

## Welcome to International Journal of Research in Medical Sciences



PRINT ISSN : 2320-6071

ONLINE ISSN : 2320-6012

ISSUES : 12 per year

PUBLISHER : Medip Academy

EMAIL : [editorijrms@gmail.com](mailto:editorijrms@gmail.com) / [editor@msjonline.org](mailto:editor@msjonline.org)**Int J Res Med Sci. Year: 2015, Volume: 3, Issue: 9****Review Article**

1. Counterfeit drugs in India: significance and impact on pharmacovigilance  
Nehal A. Shah, Bhagya M. Sattigeri, Nirav N. Patel, Haresh A. Desai  
*Int J Res Med Sci.* 2015; 3(9): 2156-2160  
» Abstract    » PDF Fulltext    » doi: [10.18203/2320-6012.ijrms20150596](https://doi.org/10.18203/2320-6012.ijrms20150596)


2. Medical tourism: a new growth factor for Indian healthcare industry  
Manoj Kumar Gupta, Veena Rajachar, Chandra Prabha  
*Int J Res Med Sci.* 2015; 3(9): 2161-2163  
» Abstract    » PDF Fulltext    » doi: [10.18203/2320-6012.ijrms20150597](https://doi.org/10.18203/2320-6012.ijrms20150597)

**Original Research**

3. Our experience of management of sub trochanteric fractures of femur by proximal femoral nail  
Ashish Vinod Batra, Harpreet Singh, Supradeeptha Challa, M. V. Ramanna Rao  
*Int J Res Med Sci.* 2015; 3(9): 2164-2168  
» Abstract    » PDF Fulltext    » doi: [10.18203/2320-6012.ijrms20150594](https://doi.org/10.18203/2320-6012.ijrms20150594)
4. Pattern and prevalence of tobacco use and associated oral mucosal lesions: a hospital based cross sectional study at a tertiary care hospital in central India  
Amritsh Mishra, Divashree Sharma, Geeta Mishra Tripathi, Paharam Adhikari, Vikrant Kabirpanthi, Manish Kumar  
*Int J Res Med Sci.* 2015; 3(9): 2169-2173  
» Abstract    » PDF Fulltext    » doi: [10.18203/2320-6012.ijrms20150595](https://doi.org/10.18203/2320-6012.ijrms20150595)
5. Profile of confirmed H1N1 virus infected patients admitted in the swine flu isolation ward of tertiary care hospitals of Baroda district, Gujarat, India  
Arunkumar Ishwarbhai Chaudhari, Jitendra R Zaveri, Nilesh Thakor  
*Int J Res Med Sci.* 2015; 3(9): 2174-2180  
» Abstract    » PDF Fulltext    » doi: [10.18203/2320-6012.ijrms20150598](https://doi.org/10.18203/2320-6012.ijrms20150598)
6. Learning from an early start but late end epidemics via an incidence rate restricted bivariate distribution and data analysis  
Ramalingam Shanmugam  
*Int J Res Med Sci.* 2015; 3(9): 2181-2189  
» Abstract    » PDF Fulltext    » doi: [10.18203/2320-6012.ijrms20150599](https://doi.org/10.18203/2320-6012.ijrms20150599)
7. Association of genetic markers with cardiomyopathy  
A. Karthik, M. Ramesh, Konathala GeethaKumari, G. Sudhakar  
*Int J Res Med Sci.* 2015; 3(9): 2190-2197  
» Abstract    » PDF Fulltext    » doi: [10.18203/2320-6012.ijrms20150600](https://doi.org/10.18203/2320-6012.ijrms20150600)
8. Clinical and etiological profile of neonatal seizures: a tertiary care hospital based study  
Asif Aziz, Imran Gattoo, Munazza Aziz, Ghulam Rasool  
*Int J Res Med Sci.* 2015; 3(9): 2198-2203  
» Abstract    » PDF Fulltext    » doi: [10.18203/2320-6012.ijrms20150601](https://doi.org/10.18203/2320-6012.ijrms20150601)
9. Comparative study of the smear microscopy, with conventional culture in clinically suspected cases of pulmonary and extra pulmonary tuberculosis  
Paramjit Singh, Sapna Chauhan, Mapary LakshmiKantha, Swati Tiwari, Sachin Sharma  
*Int J Res Med Sci.* 2015; 3(9): 2204-2209  
» Abstract    » PDF Fulltext    » doi: [10.18203/2320-6012.ijrms20150602](https://doi.org/10.18203/2320-6012.ijrms20150602)
10. An osteological study of morphometry of hard palate and its importance  
Varalakshmi KL, Sangeeta M, Shilpa N, Naik, Arunashri Acharya  
*Int J Res Med Sci.* 2015; 3(9): 2210-2213  
» Abstract    » PDF Fulltext    » doi: [10.18203/2320-6012.ijrms20150603](https://doi.org/10.18203/2320-6012.ijrms20150603)
11. A study on the association between HSV-2 and HIV serostatus in HIV seropositive and HIV seronegative individuals  
Ravichitra Katta Naga, Satyanarayana Oruganti  
*Int J Res Med Sci.* 2015; 3(9): 2214-2217  
» Abstract    » PDF Fulltext    » doi: [10.18203/2320-6012.ijrms20150604](https://doi.org/10.18203/2320-6012.ijrms20150604)
12. Electrocardiographic variations during three trimesters of normal pregnancy  
Venkatachalam Madras, Nagasreesha Challa  
*Int J Res Med Sci.* 2015; 3(9): 2218-2222  
» Abstract    » PDF Fulltext    » doi: [10.18203/2320-6012.ijrms20150605](https://doi.org/10.18203/2320-6012.ijrms20150605)
13. Utilization of ASHA services by the pregnant women of rural Tripura, India  
Himadri Bhattacharya, Nimaichand Luwang, Mousumi Sarkar, Tanusree Chakraborty, Subrata Baidya  
*Int J Res Med Sci.* 2015; 3(9): 2223-2227  
» Abstract    » PDF Fulltext    » doi: [10.18203/2320-6012.ijrms20150606](https://doi.org/10.18203/2320-6012.ijrms20150606)
14. Prevalence of intestinal metaplasia and dysplasia in infectious and non-infectious chronic gastritis  
Bashar Abdul-Jabbar Hassawi, Khesar Hussein Khalil, Zobayda Adnan Sharafadin

18. Comparative study of marital adjustment and life satisfaction among spouses of patients with alcohol dependence and normal healthy control: a case control study  
Nasirzadeh Farimaa, Rishid Panday, Ahd Rizvi  
Int J Res Med Sci, 2015; 3(9): 2246-2251  
» Abstract » PDF Fülltext » doi: 10.18203/2320-6012.IJMS20150611
19. Application of Bethesda system for conventional cervical cytology: a study of 340 cases  
Laili G. Valla, Seema N. Baxi  
Int J Res Med Sci, 2015; 3(9): 2252-2258  
» Abstract » PDF Fülltext » doi: 10.18203/2320-6012.IJMS20150612
20. Evaluation of hepatitis B vaccine responsiveness in hemodialysis and peritoneal dialysis patients  
Saharneen Espeyed Farag, Tarek A. Ghorbany, Samih A. Soliman, Ahmed Bilehy  
Int J Res Med Sci, 2015; 3(9): 2264-2267  
» Abstract » PDF Fülltext » doi: 10.18203/2320-6012.IJMS20150614
21. A cross-sectional study on under-emphasized sex determining parameters of femur  
Kishan R. Siddappa, Geetha Krishn Siddappa  
Int J Res Med Sci, 2015; 3(9): 2264-2273  
» Abstract » PDF Fülltext » doi: 10.18203/2320-6012.IJMS20150615
22. A study of aerobic bacterial pathogens associated with vaginitis in reproductive age group women (15-45 years) and their sensitivity pattern  
Sangeetha K.T., Saroj Golla, Vasudha C.L.  
Int J Res Med Sci, 2015; 3(9): 2274-2279  
» Abstract » PDF Fülltext » doi: 10.18203/2320-6012.IJMS20150616
23. Evaluation of diastolic function in hypotension using echocardiography  
Yamini Laxmaya, Balaji Srinivas, Selvam Skrithi, Koneru Veer Ragahava Choudary  
Int J Res Med Sci, 2015; 3(9): 2280-2283  
» Abstract » PDF Fülltext » doi: 10.18203/2320-6012.IJMS20150617
24. Does non-steroidal anti-inflammatory drugs increase tumor necrosis factor-alpha levels?  
Eyyem Gajjela, Mustafa Kaplan, Selim Nebati, Yasam Kemal Akpak, Burak Sahin, Ibrahim Akma  
Int J Res Med Sci, 2015; 3(9): 2290-2298  
» Abstract » PDF Fülltext » doi: 10.18203/2320-6012.IJMS20150618
25. Parallel indices- evaluation of their diagnostic role in pediatric thrombocytopathy  
Mitra Aisi Bagh  
Int J Res Med Sci, 2015; 3(9): 2284-2289  
» Abstract » PDF Fülltext » doi: 10.18203/2320-6012.IJMS20150619
26. Study evaluating chronic abdominal pain and functional abdominal pain syndrome  
Sangheeta Gupta, Gaurav Gupta, Pradeek Sharda, Karan Mittal  
Int J Res Med Sci, 2015; 3(9): 2316-2322  
» Abstract » PDF Fülltext » doi: 10.18203/2320-6012.IJMS20150620
27. A study to evaluate the knowledge of ASHA workers on antenatal and postnatal care in Bijapur district  
Shashank J.S., Mahadevappa Anagadi  
Int J Res Med Sci, 2015; 3(9): 2323-2327  
» Abstract » PDF Fülltext » doi: 10.18203/2320-6012.IJMS20150621
28. In vitro study of Myristica fragrans seed (Nutmeg) ethanolic extract and quercetin compound as anti-inflammatory agent  
Kartika Dewi, Budi Widayarto, Pandu Putri Erwiyantari, Wahyu Widowati  
Int J Res Med Sci, 2015; 3(9): 2328-2330  
» Abstract » PDF Fülltext » doi: 10.18203/2320-6012.IJMS20150622
29. Prevalence of hepatitis B virus and hepatitis C virus co-infection in human immunodeficiency virus positive patients: a study  
Prakash Kumar, R.L. Kharde, P. Beck, Suneev Kumar  
Int J Res Med Sci, 2015; 3(9): 2331-2335  
» Abstract » PDF Fülltext » doi: 10.18203/2320-6012.IJMS20150623
30. Pattern of diastolic dysrhythmia in alcohol and non-alcoholic chronic portal hypertension patients with or without ascites in rural population in south India  
Prashant S. Shinde, Prashanthumur BG, Shekarappa KC  
Int J Res Med Sci, 2015; 3(9): 2342-2346  
» Abstract » PDF Fülltext » doi: 10.18203/2320-6012.IJMS20150624
32. Correlation between serum ferritin and glycemic control in patients of type 2 diabetes mellitus: a case control study  
Anil Kumar, Vilas Mehetre, Bhairav K. Bhole, Ravesh R. Sardarkar, Harikali N., Jayati, Jigar K., Gusani, Harom Sharma  
Int J Res Med Sci, 2015; 3(9): 2347-2350  
» Abstract » PDF Fülltext » doi: 10.18203/2320-6012.IJMS20150625
33. Health literacy - is it useful in prevention of behavioral risk factors of NCD's?  
Wini Myni Oo, Win Khaing, Kyaw Swe Ma, May Mo Moh Moh  
Int J Res Med Sci, 2015; 3(9): 2351-2355  
» Abstract » PDF Fülltext » doi: 10.18203/2320-6012.IJMS20150626
34. A comparative study of efficacy and safety of flupirtine versus propantheline with low back pain  
Ambrish Sharma, Manjuhar SM, Nagara Raju, Dharmendra B, Nagender Gowda MR  
Int J Res Med Sci, 2015; 3(9): 2357-2361  
» Abstract » PDF Fülltext » doi: 10.18203/2320-6012.IJMS20150627
35. The effect of topical olive oil on prevention of bedsores in intensive care units patients  
Zafra Abbasi, Reza Zeghami, Jalil Azizian, Amir Javadi  
Int J Res Med Sci, 2015; 3(9): 2362-2366  
» Abstract » PDF Fülltext » doi: 10.18203/2320-6012.IJMS20150628
36. Alterations of antioxidant enzymes in preclampsia  
Theerukonda Shamila Krishna, Epari Venkata Rao, Jupalle Nagalakshmi Nadu  
Int J Res Med Sci, 2015; 3(9): 2348-2351  
» Abstract » PDF Fülltext » doi: 10.18203/2320-6012.IJMS20150629

- » [Abstract](#) » [PDF Fulltext](#) » doi: [10.18203/2320-6012.jirms20150629](https://doi.org/10.18203/2320-6012.jirms20150629)
- 37. Knowledge and awareness regarding hepatitis B infection among medical and dental students: a comparative cross sectional study**  
 Preetha Paul, Balaji Arumugam  
*Int J Res Med Sci.* 2015; 3(9): 2352-2356  
 » [Abstract](#) » [PDF Fulltext](#) » doi: [10.18203/2320-6012.jirms20150630](https://doi.org/10.18203/2320-6012.jirms20150630)
- 38. Effect of Yoga on pulmonary function tests**  
 Keshur A. Karmur, Hitesh A. Jani, Nileshwari H. Vala, Priti C. Bhanderi  
*Int J Res Med Sci.* 2015; 3(9): 2357-2361  
 » [Abstract](#) » [PDF Fulltext](#) » doi: [10.18203/2320-6012.jirms20150631](https://doi.org/10.18203/2320-6012.jirms20150631)
- 39. Comparison between rapid urease test and carbon 14 urea breath test in the diagnosis of Helicobacter pylori infection**  
 Harmeet Sahni, Karishma Palshetkar, Tanveer Parvez Shaikh, Sharique Ansari, Mithilesh Ghosalkar, Aditya Oak, Naseem Khan  
*Int J Res Med Sci.* 2015; 3(9): 2362-2365  
 » [Abstract](#) » [PDF Fulltext](#) » doi: [10.18203/2320-6012.jirms20150632](https://doi.org/10.18203/2320-6012.jirms20150632)
- 40. Surveillance data on micro-organisms in respiratory tract infections at a tertiary care teaching hospital in South India**  
 Sriram Shanmugam, Mohankumar Thekkinkattil, Manish Kanayalal, Minu Mohan C, Charmie Mohnot, Monisha K  
*Int J Res Med Sci.* 2015; 3(9): 2366-2375  
 » [Abstract](#) » [PDF Fulltext](#) » doi: [10.18203/2320-6012.jirms20150633](https://doi.org/10.18203/2320-6012.jirms20150633)
- 41. Economic burden of hypertension care on households of Malwani slum of Mumbai: a cross-sectional study**  
 Bharat S. Thakare, Ambadas Adhav, Suhas Kadam  
*Int J Res Med Sci.* 2015; 3(9): 2376-2381  
 » [Abstract](#) » [PDF Fulltext](#) » doi: [10.18203/2320-6012.jirms20150634](https://doi.org/10.18203/2320-6012.jirms20150634)
- 42. Correlation of Pap smear and visual inspection with acetic acid for screening of premalignant and malignant lesion of cervix**  
 Anshu Singh, Kalpana Singh, Nisha Rani Agarwal  
*Int J Res Med Sci.* 2015; 3(9): 2382-2385  
 » [Abstract](#) » [PDF Fulltext](#) » doi: [10.18203/2320-6012.jirms20150635](https://doi.org/10.18203/2320-6012.jirms20150635)
- 43. Role of fibreoptic bronchoscopy in haemoptysis: an analysis of 157 patients**  
 Naveed Nazir Shah, Manzoor Ahmad Wani, Syed Qubita Khursheed, Rakesh Bargava, Zuber Ahmad, Khurshid Ahmad Dar, Arshad Altaf Bachh  
*Int J Res Med Sci.* 2015; 3(9): 2386-2393  
 » [Abstract](#) » [PDF Fulltext](#) » doi: [10.18203/2320-6012.jirms20150636](https://doi.org/10.18203/2320-6012.jirms20150636)
- 44. Evaluation of performance of various histological grading systems of soft tissue sarcomas and the prognosis (metastatic risk and survival rate)**  
 Mirza Asif Baig  
*Int J Res Med Sci.* 2015; 3(9): 2394-2401  
 » [Abstract](#) » [PDF Fulltext](#) » doi: [10.18203/2320-6012.jirms20150637](https://doi.org/10.18203/2320-6012.jirms20150637)
- 45. Outcome and management of antenatal patients with jaundice in tertiary care centre of eastern India: a retrospective study**  
 Kalpana Singh, Gopal Kumar, Anshu Singh, Anjali Rani  
*Int J Res Med Sci.* 2015; 3(9): 2402-2404  
 » [Abstract](#) » [PDF Fulltext](#) » doi: [10.18203/2320-6012.jirms20150638](https://doi.org/10.18203/2320-6012.jirms20150638)
- 46. Static and dynamic postural stability in subjects with and without chronic low back pain**  
 Heta Haresh Thakkar, Senthil Kumar E  
*Int J Res Med Sci.* 2015; 3(9): 2405-2409  
 » [Abstract](#) » [PDF Fulltext](#) » doi: [10.18203/2320-6012.jirms20150639](https://doi.org/10.18203/2320-6012.jirms20150639)
- 47. Estimation of body mass index and risk evaluation of diabetes and cardiovascular diseases in undergraduate students**  
 Ravishankar Manchukonda, Anurag Srivastava  
*Int J Res Med Sci.* 2015; 3(9): 2410-2418  
 » [Abstract](#) » [PDF Fulltext](#) » doi: [10.18203/2320-6012.jirms20150640](https://doi.org/10.18203/2320-6012.jirms20150640)
- 48. A retrospective study of snake bite envenomation in a tertiary care teaching hospital in Southern India**  
 Arul Murugan, Sarfaraz Ahmed, Mohammad Gani  
*Int J Res Med Sci.* 2015; 3(9): 2419-2424  
 » [Abstract](#) » [PDF Fulltext](#) » doi: [10.18203/2320-6012.jirms20150641](https://doi.org/10.18203/2320-6012.jirms20150641)
- 49. Effect of blood culture reports on antibiotics use by physicians in septic patients of intensive care unit**  
 Savita Choudhary, Arvind Kumar Yadav, Shubhakaran Sharma, Meenu Pichholiya, Puneet Sharma  
*Int J Res Med Sci.* 2015; 3(9): 2425-2428  
 » [Abstract](#) » [PDF Fulltext](#) » doi: [10.18203/2320-6012.jirms20150642](https://doi.org/10.18203/2320-6012.jirms20150642)
- 50. Effect of Kasni seed preparations on serum glutamic pyruvic transaminase and glutamic oxaloacetic transaminase levels in newly diagnosed patients of type 2 diabetes mellitus**  
 Praveen Katiyar, Anod Kumar, Arvind K. Mishra, Rakesh K. Dixit, Ajay K. Gupta  
*Int J Res Med Sci.* 2015; 3(9): 2429-2435  
 » [Abstract](#) » [PDF Fulltext](#) » doi: [10.18203/2320-6012.jirms20150643](https://doi.org/10.18203/2320-6012.jirms20150643)
- Short Communication**
- 51. C-peptide and cardiovascular system**  
 Himmatrao S. Bawaskar, Parag Himmatrao Bawaskar, Pramodini Himmatrao Bawaskar  
*Int J Res Med Sci.* 2015; 3(9): 2436-2439  
 » [Abstract](#) » [PDF Fulltext](#) » doi: [10.18203/2320-6012.jirms20150644](https://doi.org/10.18203/2320-6012.jirms20150644)
- Case Report**
- 52. Urinoma: a rare complication of ureteral calculi**  
 Raj Gautam, Tanveer Shaikh, Niket Attarde, Shiliz Gupta, Jatin Wani, Mithilesh Mahesh Ghosalkar, Sharique Ansari, Sridevi Murali  
*Int J Res Med Sci.* 2015; 3(9): 2440-2442  
 » [Abstract](#) » [PDF Fulltext](#) » doi: [10.18203/2320-6012.jirms20150645](https://doi.org/10.18203/2320-6012.jirms20150645)
- 53. Bilateral ectropion in a 3 months old baby with lamellar ichthyosis: a rare case report**  
 Sweta S. Kumar, Shailly Raj, Ifsa Sami, Sonali Singh  
*Int J Res Med Sci.* 2015; 3(9): 2443-2445  
 » [Abstract](#) » [PDF Fulltext](#) » doi: [10.18203/2320-6012.jirms20150646](https://doi.org/10.18203/2320-6012.jirms20150646)
- 54. Add on dexamethasone in the treatment of severe alcohol withdrawal in a patient of emergency laparotomy**  
 Roshan Madan Shende, Bhushan Mohanrao Ambare, Narendra Prabhakar Bachewar, Damodar Patwardhan  
*Int J Res Med Sci.* 2015; 3(9): 2446-2449  
 » [Abstract](#) » [PDF Fulltext](#) » doi: [10.18203/2320-6012.jirms20150647](https://doi.org/10.18203/2320-6012.jirms20150647)
- 55. Rare case of intramuscular hemangioma of infraspinatus muscle**  
 Narendra G. Naik, Sangram Karandikar  
*Int J Res Med Sci.* 2015; 3(9): 2450-2452  
 » [Abstract](#) » [PDF Fulltext](#) » doi: [10.18203/2320-6012.jirms20150648](https://doi.org/10.18203/2320-6012.jirms20150648)
- 56. Adenocarcinoma of sweat gland: case report and review of literature**  
 Nishith M. Paul Ekka, Pankaj Bodra, Shital Malua, Rohit Kumar Jha  
*Int J Res Med Sci.* 2015; 3(9): 2453-2455  
 » [Abstract](#) » [PDF Fulltext](#) » doi: [10.18203/2320-6012.jirms20150649](https://doi.org/10.18203/2320-6012.jirms20150649)
- 57. Tracheal bronchus: a challenge for anaesthesiologists**  
 Nitin Tanaji Rao Patil, Vasudev B. Pai, Guruprasad D. Rai, Ganesh S. Kamath  
*Int J Res Med Sci.* 2015; 3(9): 2456-2458



Home | Archives | Guide for Authors | Editorial Board | About | Aims & Scope | Copyright © International Journal of Research in Medical Sciences

» Abstract » PDF Fulltext » doi: 10.18203/2320-6012.ijrms20150668

Int J Res Med Sci, 2015, 3(9): 257-257

Sutti Rababgakar, Falguni D. Malmudar, Devang A. Rana

75. Ethics committee laws: Penalty comparison across globe: a mandatory thought before accreditation process in India

Educational Forum

» Abstract » PDF Fulltext » doi: 10.18203/2320-6012.ijrms20150667

Int J Res Med Sci, 2015, 3(9): 254-256

Nandkishor Narmude, Abhilash Biswas, Tanveer Shafikh, Pranav Narayan

74. Giant cell tumor of right thumb: a rare case report

» Abstract » PDF Fulltext » doi: 10.18203/2320-6012.ijrms20150666

Int J Res Med Sci, 2015, 3(9): 251-253

Tabassum Ammamkhal Kulkarni, Shashank Kumar, Srivastav, Saraswati Suresha, Usha Kulkarni, C. Ashok Kumar, Sunita Chikkala, Sheik Megeed

73. Hyperandrogenism-insulin resistance-acanthosis nigricans syndrome with PCOS and Hashimoto's thyroiditis: case report

» Abstract » PDF Fulltext » doi: 10.18203/2320-6012.ijrms20150665

Int J Res Med Sci, 2015, 3(9): 250-253

P. Umme Devi, S. Hmaga, R. Menasa, Bhagya Lakshmi Alia

72. Utterly low grade endometrial stromal sarcoma: a case report with review of literature

» Abstract » PDF Fulltext » doi: 10.18203/2320-6012.ijrms20150664

Int J Res Med Sci, 2015, 3(9): 250-259

Purnima Prathm Roy, Abinash Agarwala, Smriti Kumar, Animesh Mandal

71. PUD with multiple abscesses due to *Burkholderia pseudomallei*: a case report

» Abstract » PDF Fulltext » doi: 10.18203/2320-6012.ijrms20150663

Int J Res Med Sci, 2015, 3(9): 250-255

Shubhangi Vinyak Agabale, Bhushan Malhar Sarke, Avinid Vaidya, Geeta Kumar

70. Pneumatoctis interstitialis in an adult: a report of an unusual case

» Abstract » PDF Fulltext » doi: 10.18203/2320-6012.ijrms20150662

Int J Res Med Sci, 2015, 3(9): 249-250

Siyi Seetharaman, Venketh Rao, Malini Thomas

69. Diffuse interstitial ganglionomatosis with coexisting gastrointestinal stromal tumor - gastrointestinal manifestations of

» Abstract » PDF Fulltext » doi: 10.18203/2320-6012.ijrms20150661

Int J Res Med Sci, 2015, 3(9): 249-2498

Parkash Kumar, Pradeep Beck, Sanjeev Kishore, Deepali Prakash

68. A rare case of pulmonary lymphangiomyomatosis from the tribal zone of central India

» Abstract » PDF Fulltext » doi: 10.18203/2320-6012.ijrms20150660

Int J Res Med Sci, 2015, 3(9): 249-2494

Priyesh Kant Prem Shanker Singh, Granth Kumar, Khwaja Salihuzz Zafar

67. A case of resolution of inferior wall myocardial infarction and varying degrees of atrioventricular block: a case report

» Abstract » PDF Fulltext » doi: 10.18203/2320-6012.ijrms20150659

Int J Res Med Sci, 2015, 3(9): 248-2491

Jewwan Ram Vishnoi, Channabasappa Kott, Savanya Shukla, Samerit Gupta, Vijay Kumar, Shiv Rajan

66. Giant fibrosarcoma of anterior abdominal wall: a rare case report and review literature

» Abstract » PDF Fulltext » doi: 10.18203/2320-6012.ijrms20150658

Int J Res Med Sci, 2015, 3(9): 248-2487

Anita Thakur, Ruchiya Agarwalla, A. M. Jain, Nitin Saxena

65. Isolated orbital myoepithelial tumors in a Muslim boy

» Abstract » PDF Fulltext » doi: 10.18203/2320-6012.ijrms20150657

Int J Res Med Sci, 2015, 3(9): 248-2484

Ingrid Streses, Priyanka Desai, Jeewan Han.

64. Syndrome of transient headache and neurological deficits with cerebrospinal fluid lymphocytosis mimicking dengue

» Abstract » PDF Fulltext » doi: 10.18203/2320-6012.ijrms20150656

Int J Res Med Sci, 2015, 3(9): 247-2480

Raj Gauralam, Tanveer Parvez Shakir, Shilpi Gupta, Jatin Wanli, Sridevi Murali, Ankit Bhupatkar, Sandesh Deolekar

63. Multiple palmar epidermoid cysts: fourth reported case

» Abstract » PDF Fulltext » doi: 10.18203/2320-6012.ijrms20150655

Int J Res Med Sci, 2015, 3(9): 247-2474

Marenne Jolhe, Raia Nair, Alimra Mayya Basu, Shyju Rajendran, Emili Jame Davidi

62. Encysted hydrocele of the cord presenting as a groin swelling in an adult: a case report

» Abstract » PDF Fulltext » doi: 10.18203/2320-6012.ijrms20150654

Int J Res Med Sci, 2015, 3(9): 246-2470

Bilekcanadis Melahaptra, Anuradha Panchala, Abhishek Mahadek, Gurarataulich Chougle

61. A case report on neoprobdominous xanthomatosis

» Abstract » PDF Fulltext » doi: 10.18203/2320-6012.ijrms20150653

Int J Res Med Sci, 2015, 3(9): 246-2470

A. A. Abraham, Sally M. Abraham

60. Ruptured splenic artery aneurysm in late pregnancy

» Abstract » PDF Fulltext » doi: 10.18203/2320-6012.ijrms20150652

Int J Res Med Sci, 2015, 3(9): 246-2467

Arash Banegui, Nitin Biswas, Nitai Sarkar

59. Non-HIV AIDS presenting with adrenal histoplasmosis and pulmonary tuberculosis: a mesmerizing case report and discussion

» Abstract » PDF Fulltext » doi: 10.18203/2320-6012.ijrms20150651

Int J Res Med Sci, 2015, 3(9): 245-2462

M. S. Belha, Priyanka Gautam

58. Gender dysphoria with homosexuality and comorbid depression: disorders: complexities in concept and management

» Abstract » PDF Fulltext » doi: 10.18203/2320-6012.ijrms20150650

Int J Res Med Sci, 2015, 3(9): 245-2462

Indranil Bhattacharya, Arnab Majumder, Dipankar Dasgupta

57. International Journal of Research in Medical Sciences